

Table of Contents

Instalasi DNSDIST Powerdns 1

Instalasi DNSDIST Powerdns

Catatan tutorial instalasi dnsmdist pada sistem operasi centos 7-8/almaLinux 8 berikut ini

Beberapa hal yang perlu di siapkan preinstalasi

```
sudo dnf group install "Development Tools"
yum install automake autoconf -y
yum install ragel ragel-devel -y
yum install libedit-devel -y
yum install boost boost-devel boost-system boost-filesystem -y
yum install lua lua-devel -y
yum install gcc openssl-devel bzip2-devel libffi-devel -y
```

kemudian

```
wget https://downloads.powerdns.com/releases/dnsmdist-1.9.2.tar.bz2
bunzip2 dnsmdist-1.9.2.tar.bz2
untar dnsmdist-1.9.2.tar
tar -xvf dnsmdist-1.9.2.tar
cd dnsmdist-1.9.2/
ls
./configure
make
```

konfigurasi

```
adduser dnsmdist
```

```
nano /usr/local/etc/dnsmdist.conf
```

Contoh

```
-- Define your Pi-hole DNS servers
newServer({address="8.8.8.8", name="google", checkName="google.com",
checkInterval=30})
newServer({address="1.1.1.1", name="opendns", checkName="opendns.com",
checkInterval=30})

-- Set the load balancing policy
setServerPolicy(roundrobin)

-- Listen on port 53 (DNS)
addLocal("127.0.0.2:53")

-- Use the console to manage dnsmdist
controlSocket("127.0.0.3:5199")
setKey("2XCyp6q9keySARg=")
```

start

```
systemctl enable dnsmist  
systemctl start dnsmist
```

From:

<https://www.pusathosting.com/kb/> - PusatHosting Wiki

Permanent link:

<https://www.pusathosting.com/kb/dns/dnsmist?rev=1718003771>

Last update: **2024/06/10 03:16**

