

# Table of Contents

**Solusi Tidak Bisa Akses Port 80 Pada Centos 7** ..... 1




# Solusi Tidak Bisa Akses Port 80 Pada Centos 7

Setelah menginstall paket httpd pada centos 7 ternyata tidak bisa langsung mengakses port 80, bagaimana cara membuka akses pada port 80 tersebut. Berikut ini adalah tutorialnya

Tahapan membuka Port 80 di firewall

```
sudo firewall-cmd --list-all
```

Perhatikan gambar berikut ini



```
shovon@linuxhint:~  
File Edit View Search Terminal Help  
[shovon@linuxhint ~]$ sudo firewall-cmd --list-all  
public (active)  
  target: default  
  icmp-block-inversion: no  
  interfaces: ens36  
  sources:  
  services: dhcpv6-client ssh  
  ports:  
  protocols:  
  masquerade: no  
  forward-ports:  
  source-ports:  
  icmp-blocks:  
  rich rules:  
  
[shovon@linuxhint ~]$
```

```
sudo firewall-cmd --remove-service=ssh --permanent  
sudo firewall-cmd --remove-service=dhcpv6-client --permanent
```


Kemudian tambahkan httpd

```
sudo firewall-cmd --add-service=http --permanent
```

REload

```
sudo firewall-cmd --reload
```

`sudo firewall-cmd --list-all` Hasilnya seperti ini




```
shovon@linuxhint:~  
File Edit View Search Terminal Help  
[shovon@linuxhint ~]$ sudo firewall-cmd --list-all  
public (active)  
  target: default  
  icmp-block-inversion: no  
  interfaces: ens36  
  sources:  
  services: http  
  ports:  
  protocols:  
  masquerade: no  
  forward-ports:  
  source-ports:  
  icmp-blocks:  
  rich rules:  
  
[shovon@linuxhint ~]$
```

Untuk mengujinya kita bisa gunakan nmap

```
sudo nmap -sT ip_address_server
```

dan hasil pengujian berhasil keluar seperti ini



```
shovon@linuxhint:~  
File Edit View Search Terminal Help  
shovon@linuxhint:~$ sudo nmap -sT 192.168.10.97  
Starting Nmap 7.40 ( https://nmap.org ) at 2018-02-11 20:16 +06  
Nmap scan report for 192.168.10.97  
Host is up (0.64s latency).  
Not shown: 999 filtered ports  
PORT      STATE SERVICE  
80/tcp    open  http  
MAC Address: 00:0C:29:45:2D:EE (VMware)  
Nmap done: 1 IP address (1 host up) scanned in 67.46 seconds  
shovon@linuxhint:~$
```

Selesai dan selamat mencoba

Artikel Terkait

- [Cara Membuka SSH Port Lain di Centos 7](#)

From:  
<https://www.pusathosting.com/kb/> - **PusatHosting Wiki**

Permanent link:  
<https://www.pusathosting.com/kb/linux/centos7/membuka-port-80-pada-centos-7?rev=1601688134>

Last update: **2020/10/02 21:22**

