

Table of Contents

Swaks Test Mail Via Command Linux	1
Contoh Swaks SSL	1
Contoh Swaks Port 25	1
Contoh Swaks Port 587	1

Swaks Test Mail Via Command Linux

Swaks adalah aplikasi untuk mengirim email via command line linux. Kita bisa menginstallnya dengan cara

```
yum install -y swaks
```

Contoh Swaks SSL

```
SUBJECT="TEST MAIL"
    swaks --to "tujuan@email.com" --h-Subject "Subjek email" --body "Test
Mail" \
    --from dari@email.com -ssl --server smtp.mailku.net -tlsc -p 465\
    --auth LOGIN --auth-user "dari@email.com" --auth-password
"password-email"
```

Contoh Swaks Port 25

```
SUBJECT="TEST MAIL"
    swaks --to "tujuan@email.com" --h-Subject "Subjek email" --body "Test
Mail" \
    --from dari@email.com --server smtp.mailku.net -p 25\
    --auth LOGIN --auth-user "dari@email.com" --auth-password
"password-email"
```

Contoh Swaks Port 587

```
SUBJECT="TEST MAIL"
    swaks --to "tujuan@email.com" --h-Subject "Subjek email" --body "Test
Mail" \
    --from dari@email.com --server smtp.mailku.net -p 587\
    --auth LOGIN --auth-user "dari@email.com" --auth-password
"password-email"
```

From:
<https://www.pusathosting.com/kb/> - PusatHosting Wiki

Permanent link:
<https://www.pusathosting.com/kb/linux/swaks>

Last update: 2020/05/26 21:16



